



Michael Donalty, Town Supervisor
3600 Lorraine Drive
Walworth, NY 14568

315.986.1400
315.926.9154
Fax 315.986.1440

TOWN BOARD REGULAR MEETING – AGENDA
OCTOBER 17, 2024 6:30 PM

CALL TO ORDER
PLEDGE OF ALLEGIANCE
ROLL CALL

MINUTES:

October 3,2024	Regular Meeting
October 8,2024	Budget Workshop
October 9,2024(AM)	Budget Workshop
October 9,2024(PM)	Budget Workshop
October 10,2024	Budget Workshop

PUBLIC HEARING 6:30PM- Public Hearing for Local Law NO. 6-2024 to provide for the placement sewer fees and charges of out-of-district users on Real Property Tax bills

PUBLIC HEARING 6:30PM- Public Hearing for Town of Walworth Sewer District Special Assessment Rolls for 2024

PRESENTATIONS:

REPORTS OF COMMITTEES (LIAISON/ELECTED OFFICIAL REPORTS)

Monthly Report of the Town Clerk

RESOLUTIONS:

Resolution 164-24: Authorize the official name of the park on Sherburne Road to be named “Sherburne Park” (tabled)

Resolution -24: Budget Modifications

Resolution -24: Abstract 10, approval

Resolution 24: To approve Local Law NO.6 -2024 to provide for the placement of sewer fees and charges of out-of-district users on real property tax bills

Resolution -24: To adopt and approve the Town of Walworth Sewer Districts Special Assessment Rolls for 2024

(Updated 10/16/2024)

Resolution -24: Rescind Resolution 129 -24 and authorize the Parks Superintendent to contract with Santelli Lumber to wrap the Ginegaw Pavilion in steel including gables, soffits headers and ceiling, not exceed \$14,115.28, with the use of available funds in CM1 7110.21

Resolution -24: Authorize the Parks Superintendent to contract with Integrated Systems to provide and install four 65" LED digital displays, one 86" commercial interactive display and all necessary installation equipment, not exceed \$26,780.20, with the use of ARPA funds

Resolution -24: To promote Highway employee Silas Amsler to MEO and set salary to \$20.50 per hour, effective October 15, 2025

Resolution -24: To authorize the use of ARPA funds to purchase a Fire-Safe Lateral filing cabinet for the Assessment Department

Resolution -24: To authorize the use of ARPA funds to purchase a Fire-Safe Lateral filing cabinets for the Town Clerks Office

Resolution -24: To absorb the Cemetery Fund (CM6) into the general fund

Resolution -24: To authorize the Recreation Director to purchase a deer family photo op display using ARPA funds not to exceed \$1,340.00

Resolution -24: To authorize the Recreation Director to purchase a deluxe animated Santa sleigh using ARPA funds not to exceed \$6863.20, plus the freight not to exceed \$1,000.00.

Resolution -24: To authorize the Recreation director to purchase a 8'x11' Celestial Arch using ARPA funds not to exceed \$695.00, plus the freight not to exceed \$400.00

Resolution -24: Authorizing the Town Supervisor to sign service order with Spectrum Enterprise for a new phone system and approve the installation fees and the purchase of phones utilizing ARPA funds

Resolution -24: Authorizing the use of ARPA funds for the upgrade of Town server and switches not to exceed \$14,000

Resolution -24: To set Public Hearing for 2025 Preliminary Budget

Resolution -24: Authorizing issuance of Request For Proposals for planning and engineering services

(Updated 10/16/2024)

COMMUNICATION:

- Letter from New York State Municipal Insurance Reciprocal- regarding damaged traffic light
- Letter from Wayne County Department of Aging and Youth- Youth Hope (homelessness, outreach, education and prevention)
- Letter from NYS Department of Health- Approval letter for Ginegaw Park Watermain
- Report of inspection Wet and Dry Automatic Fire Sprinkler System completed by Colonial fire Protection Systems INC. for Carey Lake
- Building and Zoning monthly report for September 2024
- Recreation monthly report for September 2024
- Parks and Facilities monthly report for September 2024
- Justice Court monthly report for September 2024
- Highway monthly report for September 2024
- Letter from Wayne County Industrial Development Agency- Annual Pilot Audit

NEW AND OTHER BUSINESS

PUBLIC PARTICIPATION

EXECUTIVE SESSION

ADJOURNMENT

ANY OTHER BUSINESS THAT MAY COME BEFORE THE BOARD

LOCAL LAW NO. 6-2024 TO PROVIDE FOR THE PLACEMENT OF SEWER FEES AND CHARGES OF OUT-OF-DISTRICT USERS ON REAL PROPERTY TAX BILLS

BE IT ENACTED, by the Town Board of the Town of Walworth, Wayne County, State of New York, as follows:

Section I. Authorization

The adoption of this Local Law is in accordance with Municipal Home Rule Law §10, including subsection [1][a][9-a] thereof.

Section II. Title and Purpose

This law shall be known as and may be cited as Local Law No. 6-2024 to Provide for the Placement of Sewer Fees and Charges of Out-of-District Users on Real Property Tax Bills. The purpose and intent of this Local Law is to permit the Town to place fees and charges of out-of-district sewer users on Town real property tax bills.

Section III. Legislative Finding

The Town Board of the Town of Walworth finds and hereby determines that, including for purposes of efficiency, it is in the best interest of the Town to permit the placement fees and charges of out-of-district sewer users on Town real property tax bills.

Section IV. Substantive Legislation - Amendment:

The legislation set forth at Subsection "C" of Section 139-20 ("Acceptance of Sewage from Outside Service Area") of the Code of the Town Walworth, NY shall be amended to read as follows:

Any person(s) owning property in the Town of Walworth not within the boundaries of a formed sewer district wishing to connect to public sewers may request or petition the Town Board for approval. The request or petition shall include, in such detail as needed for review and approval by the engineer for the Town, Sewer Superintendent, Building Department and any other person(s) included in the review process, a complete engineered proposal using the guidelines and regulations for the development of property within the Town of Walworth. Any and all costs for design, permits, installation and all other associated costs shall be at the expense of the petitioning property owner(s). It shall be the responsibility of the property owner(s) benefiting from the connection to public sewers to maintain, repair, and replace, as required, any equipment and/or materials as needed to allow uninterrupted and continued use of the connection to the public sewer. All such out-of-district users will be billed for such, including a minimum of the then-current sewer rate, any additional out-of-district surcharge, as well as any other fees, costs or charges as set by resolution or otherwise required or agreed to by the Town Board. If the serviced area is also out of a water district, prohibiting the sewer charge being based on water consumption as set forth in the Walworth Town Code § 139-3, an agreed upon fee schedule will be determined by the Sewer Superintendent and approved by the Town Board.

Section V. New Substantive Legislation:

The following legislation is hereby enacted, including implementation of the same at Section 139-20 ("Acceptance of Sewage from Outside Service Area") of the Code of the Town Walworth, NY at a new subsection "D" thereof, all to read as follows:

Fees, charges and/or costs due from out-of-district sewer users (i.e., users not located within a Town sewer district but who nonetheless are users of Town sewers) may be placed on the real property tax bill of the user.

Section VI. Validity and Severability

Should any word, section, clause, paragraph, sentence, part or provision of this local law be declared invalid by a Court of competent jurisdiction, such determination shall not affect the validity of any other part hereof.

Section VII. Repeal, Amendment and Supersession of Other Laws

All other ordinances or local laws of the Town of Walworth which are in conflict with the provisions of this local law are hereby amended, superseded and/or repealed to the extent necessary to give this local law force and effect during its effective period.

Section VIII. Effective Date

This Local Law will take effect upon filing at the office of the New York State Secretary of State.

TOWN CLERK'S MONTHLY REPORT

TOWN OF WALWORTH, NEW YORK

SEPTEMBER, 2024

TO THE SUPERVISOR:

PAGE 1

Pursuant to Section 27, Subd 1 of the Town Law, I hereby make the following statement of all fees and moneys received by me in connection with my office during the month stated above, excepting only such fees and moneys the application and payment of which are otherwise provided for by Law:

A1255			
<u>1</u>	DECALS	<u>164.74</u>	
<u>1</u>	MARRIAGE LICENSES NO. 24027 TO 24027	<u>17.50</u>	
<u>2</u>	MISCELLANEOUS	<u>52.00</u>	
<u>2</u>	B/D/M RECORDS SEARCH	<u>70.00</u>	
TOTAL TOWN CLERK FEES			304.24
A1550			
<u>1</u>	DOG PICK UP	<u>25.00</u>	
TOTAL A1550			25.00
A1689			
<u>1</u>	PERC/NEW/SEPTIC REPAIR	<u>100.00</u>	
TOTAL A1689			100.00
A2001			
<u>10</u>	RECREATION	<u>1,671.00</u>	
TOTAL A2001			1,671.00
A2544			
<u>81</u>	DOG LICENSES	<u>816.00</u>	
TOTAL A2544			816.00
A2555			
<u>31</u>	BUILDING PERMITS	<u>2,975.00</u>	
TOTAL A2555			2,975.00
A2770B			
<u>4</u>	OTHER INCOME BUILDING	<u>80.00</u>	
TOTAL A2770B			80.00
A2770F			
<u>2</u>	FARMER'S MARKET	<u>50.00</u>	
TOTAL A2770F			50.00
A2770S			
<u>1</u>	SEPTIC INSP (NEW CONSTR)	<u>75.00</u>	
TOTAL A2770S			75.00
CM2001			
<u>3</u>	DOG PARK REGISTRATION	<u>125.00</u>	
TOTAL CM2001			125.00
CM2025			
<u>5</u>	FACILITY RENTALS	<u>720.00</u>	
TOTAL CM2025			720.00

TOWN CLERK'S MONTHLY REPORT

SEPTEMBER, 2024

page 2

CM2089	<u>2</u>	PARK EXPENDABLE TRUST	<u>1,300.00</u>	
		TOTAL CM2089		1,300.00
<hr/>				
TA301	<u>5</u>	ESCROW - BLDG PERMITS	<u>1,400.00</u>	
		TOTAL TA301		1,400.00
<hr/>				

TOWN CLERK'S MONTHLY REPORT


SEPTEMBER, 2024

page 3

DISBURSEMENTS

PAID TO SUPERVISOR FOR GENERAL FUND	5,931.50 ✓
DECALS SEPARATE MONTHLY REPORT	164.74 ✓
PAID TO SUPERVISOR FOR BUILDING PERMIT ESCROWS	1,400.00 ✓
PAID TO SUPERVISOR FOR CEMETERY/PARK EXPENDABLE	2,145.00 ✓
DECALS SEPARATE MONTHLY REPORT- EFT	2,821.26
PAID TO NYS ANIMAL POPULATION CONTROL PROGRAM	105.00
PAID TO NYS HEALTH DEPT FOR MARRIAGE LICENSES	22.50
TOTAL DISBURSEMENTS	12,590.00

OCTOBER 1, 2024



Michael Donalty

, SUPERVISOR

STATE OF NEW YORK, COUNTY OF WAYNE, TOWN OF WALWORTH


I, Jenna Camacho, being duly sworn, says that I am the Clerk of the TOWN OF WALWORTH that the foregoing is a full and true statement of all Fees and moneys received by me during the month above stated, excepting only such Fees the application and payment of which are otherwise provided for by law.

Subscribed and sworn to before me this

1st day of October 2024

Teresa M. Flye
Notary Public



Town Clerk

RESOLUTION 164-24: AUTHORIZE THE OFFICAL NAME OF THE PARK ON SHERBURNE ROAD TO BE NAMED “SHERBURNE PARK”(TABLED)

Councilwoman Linson offered the following Resolution and moved its adoption. Seconded by Councilman Kelly to wit:

WHEREAS, the Parks Superintendent wishes to have an official sign made for the park on Sherburne Road; and

WHEREAS, the park on Sherburne Road does not hold an official name. The Park has been named The Sherburne Road Park or just Sherburne Park in past Town Records; and

WHEREAS, in order for a sign to be made for the park an official name needs to be approved for the park;

NOW, THEREFORE BE IT RESOLVED, that the Walworth Town Board approves the name of the park on Sherburne Road be named Sherburne Park.

Resolution to be tabled to verify how the land for the park became town property for the naming of the park.

Tabled this 3rd day of October, 2024 at a meeting of the Town Board.

Roll call vote:	Councilwoman Linson	Aye
	Councilman Kelly	Aye
	Councilman Harden	Absent
	Councilman Johnson	Aye
	Supervisor Donalty	Aye

Adopted this 3rd day of October, 2024 at a meeting of the Town Board.

Roll call vote:	Councilwoman Linson
	Councilman Kelly
	Councilman Harden
	Councilman Johnson
	Supervisor Donalty

Resolution carried/failed.

RESOLUTION -24: BUDGET MODIFICATIONS

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

Budget Modifications for Oct 17, 2024

	\$		Acct #	Description	Acct #		Reason
General Fund							
Transfer	\$	120.00	From A1990.41	Contingent	TO A7110.43	Park - Veh/Equip Maintenance	cover repair to 2015 F250
Transfer	\$	11.00	From A7110.44	Park Maintainance	TO A7110.45	Park -Field Improvements	to cover anticipated shortfall
Transfer	\$	225.00	From A1410.49	T Clerk -EZ Pass	TO A1410.45	T Clerk - Software	to cover General code service
Transfer	\$	200.87	From A1410.44	T Clerk - Record mgmt	TO A1410.45	T Clerk - Software	to cover General code service

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried.

RESOLUTION -24: ABSTRACT 10, APPROVAL

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

TOWN OF WALWORTH

Abstract # 010

10/15/2024
11:00:57

Code	Fund	Prepays	Unpays	Totals
A	GENERAL FUND	20,224.31	81,769.93	101,994.24
CM1-	PARK SPECIAL REVENUE FUND	25.51	309.89	335.40
DA	HIGHWAY FUND	9,492.06	266,696.71	276,188.77
HE	GINEGAW RESTROOMS		886.43	886.43
SF2-	WEST WALWORTH FIRE PROTECTION		35,205.18	35,205.18
SL1-	WALWORTH LIGHT DISTRICT		401.29	401.29
SL2-	HARVEST HILL LIGHT DISTRICT		760.20	760.20
SL3-	GANANDA LIGHT DISTRICT	1,439.97		1,439.97
SL4-	BROOKSIDE LIGHT DISTRICT		15.77	15.77
SL5-	ORCHARD VIEW LIGHT DISTRICT		167.92	167.92
SS	WALWORTH SEWER DISTRICT #1	1,415.06	69,536.48	70,951.54
TA	TRUST & AGENCY	71,240.58		71,240.58
TC	CUSTODIAL TRUST		5,327.00	5,327.00
Total:		103,837.49	461,076.80	564,914.29

Voucher Numbers 1359-1513, 141-153, 257-270

Abstract of audited vouchers is on file in the Town Clerk's office.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalby

Resolution carried/failed

RESOLUTION 24: TO APPROVE LOCAL LAW NO.6 -2024 TO PROVIDE FOR THE PLACEMENT OF SEWER FEES AND CHARGES OF OUT-OF-DISTRICT USERS ON REAL PROPERTY TAX BILLS

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, a public hearing was duly called for, and held on October 17, 2024, relative to a proposed local law to “Provide for the Placement of Sewer Fees and Charges of Out-of-District Users on Real Property Tax Bills,” and all interested parties were permitted an opportunity to speak thereon; and

WHEREAS, the Town Board of the Town of Walworth, after due deliberation, finds it in the best interest of the Town to adopt said local law for the reasons set forth therein, including that the Code of the Town of Walworth should thus be revised as set forth therein.

NOW, THEREFORE, BE IT RESOLVED that the Town Board hereby adopts said Local Law to “Provide for the Placement of Sewer Fees and Charges of Out-of-District Users on Real Property Tax Bills,” all as set forth in the attached Local Law, which is incorporated herein and made a part hereof; and be it further

RESOLVED, that the Town Clerk be and hereby is directed to enter said Local Law into the minutes of this meeting, to give due notice of the adoption of said Local Law to the Secretary of State of the State of New York, and to have the physical and electronic Code updated in accord herewith.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalty

Resolution carried/failed

**RESOLUTION -24: TO ADOPT AND APPROVE THE TOWN OF WALWORTH
SEWER DISTRICTS SPECIAL ASSESSMENT ROLLS FOR 2024**

Council offered resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the costs in connection with the Town of Walworth’s sewer districts must be paid for in accordance with law, including in relation to the costs incurred as a result of the planned transition from the dated Walworth Treatment Plant in the Town of Walworth to the planned regional treatment plant to be run by the Wayne County Water and Sewer Authority; and

WHEREAS, in connection with the payment of such costs, the Town of Walworth will be collecting revenues via special assessments against the Town of Walworth sewer districts; and

WHEREAS, such special assessments will be imposed based upon the number of equivalent dwelling units (“EDUs”) assigned to each tax parcel, as defined and determined in accordance with the Walworth Town Code; and

WHEREAS, rolls specifying such special assessments have been duly filed with the Walworth Town Clerk; and

WHEREAS, a public hearing was duly advertised and held on such rolls where the public was permitted to speak on the same.

NOW, THEREFORE, BE IT, RESOLVED, that that the Walworth Town Board hereby adopts and approves the 2024 special assessment rolls for the Town of Walworth sewer districts; and be it further

RESOLVED, that such rolls be filed with the Town Clerk and transmitted to the Wayne County Board of Supervisors.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalty

Resolution carried/failed

RESOLUTION -24: RESCIND RESOLUTION 129 -24 AND AUTHORIZE THE PARKS SUPERINTENDENT TO CONTRACT WITH SANTELLI LUMBER TO WRAP THE GINEGAW PAVILION IN STEEL INCLUDING GABLES, SOFFITS HEADERS AND CEILING, NOT EXCEED \$14,115.28, WITH THE USE OF AVAILABLE FUNDS IN CM1 7110.21

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS The pavilion in Ginegaw Park is in need of repair, and

WHEREAS Finger Lakes Construction will not honor its original quote, and

WHEREAS Santelli Lumber's quote is now lower, and

WHEREAS the Parks and Facilities Department did solicit 3 quotes for the work per the procurement policy, as follows:

Santelli Lumber	\$14,115.28
Finger Lakes Construction	\$16,465.52
Secor	No Bid

WHEREAS funds are available in CM1 7110.21 to fund this project, Now

THEREFORE, BE IT RESOLVED the Parks Superintendent is authorized to contract with Santelli Lumber to furnish and install metal liners for gables, soffits, headers and ceiling using available funds in CM1 7110.21 at a cost not to exceed \$14,115.28.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried/failed.

RESOLUTION -24: AUTHORIZE THE PARKS SUPERINTENDENT TO CONTRACT WITH INTEGRATED SYSTEMS TO PROVIDE AND INSTALL FOUR 65” LED DIGITAL DISPLAYS, ONE 86” COMMERCIAL INTERACTIVE DISPLAY AND ALL NECESSARY INSTALLATION EQUIPMENT, NOT EXCEED \$26,780.20, WITH THE USE OF ARPA FUNDS

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS an upgrade to the Town Hall’s digital media devices is desired, and

WHEREAS the Parks and Facilities Department did solicit a quote from the Town’s professional services agreement provider for information technology, as follows:

Integrated Systems	\$26,780.20
--------------------	-------------

WHEREAS the devices are being provided via a piggyback bid from Broome County contract 2362-4, and

WHEREAS ARPA funds are available, Now

THEREFORE, BE IT RESOLVED the Parks Superintendent is authorized to contract with Integrated systems to provide and install four 65” digital displays, one 86” interactive display, and necessary installation equipment using available ARPA funds at a cost not to exceed \$26,780.20.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote:	Councilwoman Linson
	Councilman Kelly
	Councilman Harden
	Councilman Johnson
	Supervisor Donalty

Resolution carried/failed.



Integrated Systems
 Phone: (585) 924-8670
 Fax: (585) 924-8842
 50 Victor Heights Parkway
 Victor, NY 14564

Quote
 No.: **11548**
 Date: **10/7/2024**

Prepared for:
 Mike Buckley (315) 926-9170
 Town of Walworth
 3600 Lorraine Drive
 Walworth, NY 14568 U.S.A.

Prepared by: Dave F. O'Hare
 Account No.: 44
 Phone: (315) 986-1400
 Fax: (315) 986-1440

Quantity	Item ID	Description	UOM	Sell	Total
Piggyback Broome County Integrated Systems Contract 2362-4					
(3) Displays for Walworth Lobby/ (1) Display of the back of the meeting room (1) Interactive Display for Meeting Room (Smartboard)					
4.00	* Quoted Item	Phillips 65BDL4650D - 65" Diagonal Class (64.5" viewable) - D-Line LED-backlit LCD display - digital signage - Android - 4K UHD (2160p) 3840 x 2160	EA	\$1,631.70	\$6,526.80
1.00	* Quoted Item	Wireless HDMI Transmitter and Receiver	EA	\$250.00	\$250.00
4.00	* Quoted Item	Mounts for Lobby and Meeting Room 65" Display	EA	\$357.50	\$1,430.00
1.00	* Quoted Item	Meeting Room Large Display -86in Commercial 18/7 Display, 20-point HE IR touch, UHD (3840x2160), 350cd/m2, Android SoC	EA	\$2,556.00	\$2,556.00
1.00	* Quoted Item	High Speed HDMI Cable - 6 ft.	EA	\$44.00	\$44.00
1.00	* Quoted Item	Mount for Displays	EA	\$499.00	\$499.00
1.00	* Quoted Item	Lenovo Tiny VESA Mount II - System mounting bracket - for Thinkstation	EA	\$32.00	\$32.00
1.00	* Quoted Item	ThinkCentre M70q Gen 3 - Intel Core i7-12700T (E-cores up to 3.40GHz 25MB) - Windows 11 Pro 64 - 16.0GB - 1x512GB SSD M.2 2280 PCIe Gen4 TLC Opal - In	EA	\$1,080.00	\$1,080.00
1.00	* Quoted Item	MK345 Wireless Combo Keyboard and Mouse	EA	\$54.00	\$54.00
1.00	* Quoted Item	Cable Materials Allowance	EA	\$699.00	\$699.00
1.00	* Quoted Item	Cisco Catalyst 1300-24FP-4G - switch - 24 ports - managed - rack-mountable	EA	\$1,328.60	\$1,328.60
1.00	* Quoted Item	Patch Panel -24 Port with Wallmount	EA	\$249.00	\$249.00
1.00	* Quoted Item	Cisco Smart Net Total Care - extended service agreement- Extended service agreement - parts - response time: NBD - availability: 8 hours a day (9:00 A	EA	\$191.80	\$191.80
1.00	* Labor - Infrastructure - Prevailing Wage	Labor - Infrastructure - Prevailing Wage	HR	\$9,200.00	\$9,200.00
1.00	* Quoted Item	Integration/ Configuration/Training	EA	\$2,640.00	\$2,640.00

	Quote
No.:	11548
Date:	10/7/2024
Your Price:	<u>\$26,780.20</u>
Total:	<u><u>\$26,780.20</u></u>

Prices are firm until 10/22/2024

Terms: 40% Deposit, Balance due upon receipt

Prepared by: Dave F. O'Hare, dave.ohare@integratednet.com

Date: 10/7/2024

Integrated Systems-

Town to provide power to each display location. Integrated Systems run cable to each display location. Install mounts and display on lobby wall and install patch panel, switch in data room. Integrate on network. Provide up to 6 hours of training.

Discover high clarity and color with the Philips 65BDL, a television designed for both professional settings and discerning viewers at home. This 65-inch LED-backlit LCD flat panel display offers 4K UHD resolution, ensuring that every detail is sharp and every color pops. With a dynamic contrast ratio of 500,000:1, images are rendered with depth and realism, making this television ideal for digital signage and high-quality video playback.

Designed to meet the demands of continuous operation, the Philips 65BDLeatures a robust design that can withstand 24 hours of use daily, making it perfect for commercial environments. Failover capabilities ensure that your content remains on display, even in the event of a technical hiccup. Additionally, this television is ENERGY STAR 8.0 certified, offering energy efficiency without compromising on performance.

Connectivity is a breeze with built-in Bluetooth 5.2, LAN, and Wi-Fi, allowing for easy integration into any network or system. Multiple HDMI and USB ports, along with DisplayPort and DVI-I inputs, provide the flexibility needed for various multimedia setups. Whether for professional digital signage or providing a premium viewing experience

Philips 65BDL46 D-Line - 65" Class (64.5" viewable) LED-backlit LCD display - 4K - for digital signage

Product Type: LED-backlit LCD flat panel display
 Diagonal Class: 65"
 Diagonal Size: 64.5"
 Commercial Use: Yes - digital signage
 Platform: Android
 Resolution: 3840 x 2160
 Display Format: 4K UHD (2160p)
 Input Video Formats: 1080/60i, 480/60p, 720/60p, 1080/50i, 720/50p, 576/50p, 1080/50p, 1080/60p, 480/60i, 576/50i, 2160/24p, 2160/30p, 2160/60p
 Frame Rate & Enhancement Technology: 60 Hz Refresh Rate
 Video Interface: HDMI
 HDMI Ports Qty: 2 ports
 Connectivity: Wi-Fi, LAN, Bluetooth
 PC Interface: DVI, DisplayPort
 Technology: ADS
 LCD Backlight Technology: LED backlight
 Image Aspect Ratio: 16:9
 TV Tuner: No tuner
 Commercial Features: HTML5 support, FailOver, keyboard lock
 Picture Enhancements: Dynamic contrast enhancement, Pixel Shift, motion compensation deinterlacing, progressive scan
 Speaker System: 2 speakers
 Storage Capacity: 32GB eMMC
 USB: 2 ports
 Included Accessories: Remote control, batteries, 3 clampers, screws, usb cover
 Voltage: AC 100-240 V (50/60 Hz)
 Energy Class: Class G

Quote

No.: **11548**

Date: **10/7/2024**

Power Consumption Stand by: 0.5 Watt
Dimensions (WxDxH) - without stand: 57.6 in x 2.7 in x 33 in
Weight: 61.95 lbs

Environmental Standards: ENERGY STAR Qualified

Manufacturer Warranty: 3-year warranty

General

Product Type: LED-backlit LCD flat panel display

Energy Class: Class G

Diagonal Class: 65"

Diagonal Size: 64.5"

Commercial Use: Yes - digital signage

Series: D-Line

Platform: Android

Operating System: Android OS 11

TV Tuner: No tuner

TV Tuner Presence: No

Video Interface: HDMI

HDMI Ports Qty: 2 ports

PC Interface: DVI, DisplayPort

Modes: Portrait mode, landscape mode

Picture Enhancements: Dynamic contrast enhancement, Pixel Shift, motion compensation deinterlacing, progressive scan

Dimensions: Without stand

Width: 57.6 in

Depth: 2.7 in

Height: 33 in

Weight: 61.95 lbs

Display

LCD Display Technology: ADS

Pixel Pitch: 0.372 mm

Color Support: 1070000000 colors

Resolution: 3840 x 2160

Display Format: 4K UHD (2160p)

Image Aspect Ratio: 16:9

Frame Rate & Enhancement Technology: 60 Hz Refresh Rate

LCD Backlight Technology: LED backlight

Coating: 25% haze

Image Contrast Ratio: 1200:1

Dynamic Contrast Ratio: 500000:1

Brightness: 500 cd/m²

Viewing Angle: 178°

Viewing Angle (Vertical): 178°

Pull-Down Compensation: 3:2, 2:2

Response Time: 8 ms

Display Menu Language: Danish, Chinese (traditional), Chinese (simplified), English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Turkish, Arabic, Japanese

Backlight Life: 50,000 hour(s)

Commercial Features: HTML5 support, FailOver, keyboard lock

Operation Hours / Days: 24 / 7

Additional Features: Tiled Matrix (10 x 15)

Stands & Mounts

Flat Panel Mount Interface: 400 x 400 mm

VESA Compatibility: Yes

Video Features

Input Video Formats: 1080/60i, 480/60p, 720/60p, 1080/50i, 720/50p, 576/50p, 1080/50p, 1080/60p, 480/60i, 576/50i, 2160/24p, 2160/30p, 2160/60p

Supported Computer Resolutions: 1024 x 768 (XGA), 640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 720, 1680 x 1050 (WSXGA+), 1920 x 1080, 1440 x 900, 1600 x 900, 3840 x 2160

Media Player

Supported Video Formats: MPEG-4, AVI, H.264, H.263, WebM, MPEG, H.265, VP9, VP8

Supported Audio Formats: AAC, HE-AAC

Supported Pictures Formats: BMP, PNG, JPEG

USB Port: Yes

USB Ports Qty: 2

Configuration: ARM Cortex-A72 + ARM Cortex-A53 - 4 GB - 32GB eMMC - ARM Mali-T860MP4

Remote Control

Type: Remote control

Battery Form Factor: AAA type

Battery Included: Yes

Audio System

Speaker System: 2 speakers

Output Power / Total: 20 Watt

Speakers: 2 x speaker - 10 Watt

Network & Internet Multimedia

Connectivity: Wi-Fi, LAN, Bluetooth

Wi-Fi Protocol: 802.11b, 802.11g, 802.11n, 802.11a, 802.11ac, 802.11ax

Bluetooth Version: Bluetooth 5.2

Connections

Connector Type: DisplayPort ; 2 x HDMI Input ; DVI-I input ; Audio line-in ; Audio line-out ; 2 x USB 3.0 ; Remote control ; RS-232C input/output ; Infrared input/output ; USB 2.0 ; USB OTG ; 4G/LTE

Miscellaneous

Included Accessories: Batteries, 3 clampers, screws, usb cover

Cables Included: IR sensor cable - 6 ft ; RS232 cable ; RS-232 daisy chain cable

Compliant Standards: FCC Class A certified, UL, CB, CCC, RoHS, EMF

Sustainability Information

ENERGY STAR Certified: Yes

ENERGY STAR Version: 8.0

Power

Power Device: Power supply

Input Voltage: AC 100-240 V (50/60 Hz)

Power Consumption Stand by: 0.5 Watt

Features: Smart power

Manufacturer Warranty

Service & Support: Limited warranty - 3 years

Philips E-Line 86BDL4152E Collaboration Display

Interactive education display | Featuring multi-touch technology| 86", Powered by Android, Multi-touch, ? |Android SoC for seamless software and app integration|Our integrated Android 13 OS has been specially developed to bring a next level secure professional System on Chip. Save your favourite apps and software directly into the display or, choose from the large library of Android apps and play content from there.Multi-touch technology capable of 40 touchpoints|Create a memorable interactive experience with up to 40 touchpoints at the same time for slick, agile lessons. Perfect for collaborative and competitive applications, this display connects your audience with any content. And the touch panel is HID compliant, providing true plug-and-play operation.OPS slot allows PC embedding without cabling|Integrate a full-power PC or Android-powered CRD module directly into your Philips Professional Display. The OPS slot contains all the connections you need to run your slot-in solution, including a power supply.Philips ScreenShare - wirelessly connect any device|Philips ScreenShare makes it easy for teachers and students to wirelessly share their screens from their own device, whatever the operating system, via the browser or their favourite apps, onto the Philips Interactive E-Line display.PPDS Wave-ready for remote display management and control|Your PPDS Wave-ready display enables you to manage and maintain this device remotely, wherever you are, whenever you choose. This evolutionary cloud platform puts you fully in control, with simplified installation and set-up, monitoring and controlling displays, upgrading firmware, managing central content needs, and setting power schedules. Saving you time, energy and environmental impact.

4K Ultra HD

Display Technology: IPS
 Flat / Curved: Flat
 Max Resolution: 3840 x 2160
 Display Diagonal Size: 85.6 Inch
 Display / Color Support: 1.07 Billion Colors
 Display / Response Time: 8 Ms
 Display / Refresh Rate: 60 Hz
 Dot Pitch / Pixel Pitch: 0.4935 x 0.4935 Mm
 Image Contrast Ratio: 1200:1
 Dynamic Contrast Ratio: 500000:1
 Brightness: 400cd/m2
 Viewing Angle: 178/178
 Image Aspect Ratio: 16:9
 Screen Type: Anti-glare; Anti-Reflection; Anti-fingerprint
 HDR Capable: None
 Picture Enhancements: 3/2 - 2/2 motion pull down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement,
 Network Connectivity: LAN
 Audio Output: 3.5 mm Mini Jack
 Speakers: 2 x 20W
 Interfaces: 3.5 mm Mini Jack; USB 3.0; USB-C (up to 65W); HDMI 2.0 ; SPDIF; OPS; micro SD; USB-B; Micro USB (x1) (OTG); Thermal sensor; IR (in/out) 3.5 mm jack; RS232C (in/out) 2.5 mm jack; RJ45 x2
 Video Interfaces: HDMI 2.0
 Power Consumption Sleeping: <0.5 W
 Power Consumption SDR (On mode): None
 Power Consumption HDR (On mode): None
 Power / Voltage Required: 100 - 240V~, 50 - 60Hz, 7.5A
 Power Consumption Standby: <0.5 W
 Stand: Yes
 VESA Mount Compatible: 800 x 400 mm
 Width: 1965.1 Mm
 Depth: 116.227 Mm
 Height: 1158.74 Mm
 Service & Support Type: 5 year warranty
 Features: Cast directly from any device; Advanced IR touch; Android SoC for seamless software and app integration; Display Surface; Blue light filter; EDLA certified for security; Whiteboard application Built-in motion sensors Multi-touch technology capable of 40 touchpoints; PPDS Wave-ready for remote display management and control
 Min Operating Temperature: 0 Celsius
 Max Operating Temperature: 40 Celsius
 Humidity Range Operating: 20 ~ 80% (without condensation)

Display
 Brightness: 400cd/m2
 Display / Color Support: 1.07 Billion Colors
 Display Diagonal Size: 85.6 Inch
 Dot Pitch / Pixel Pitch: 0.4935 x 0.4935 Mm
 Dynamic Contrast Ratio: 500000:1
 Flat / Curved: Flat
 HDR Capable: None
 Image Aspect Ratio: 16:9
 Picture Enhancements: 3/2 - 2/2 motion pull down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement,
 Screen Type: Anti-glare; Anti-Reflection; Anti-fingerprint
 Flat / Curved: Flat

Quote

No.: **11548**

Date: **10/7/2024**

Accepted by: _____

Date: _____

RESOLUTION -24:TO PROMOTE HIGHWAY EMPLOYEE SILAS AMSLER TO MEO AND SET SALARY TO \$20.50 PER HOUR, EFFECTIVE OCTOBER 15, 2025

Council offered the following Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, Mr. Amsler was hired as a full time laborer on July 22, 2024 with continued employment subject to his successful acquisition of a CDL license within six months of hire.

WHEREAS, Mr. Amsler has successfully completed his CDL licensing requirements,

BE IT RESOLVED, upon recommendation of the Highway Superintendent, to promote Mr. Amsler to MEO at \$20.50 per hour effective 10/15/24.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried/failed.

RESOLUTION -24: TO AUTHORIZE THE USE OF ARPA FUNDS TO PURCHASE A FIRE-SAFE LATERAL FILING CABINET FOR THE ASSESSMENT DEPARTMENT

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Assessment Department is in need of an additional fire-safe filing cabinet to store the permanent property files; and

WHEREAS, the Town has ARPA funds remaining to be allocated; now

THEREFORE BE IT RESOLVED, that the Town Board of the Town of Walworth hereby authorized the use of ARPA funds, not to exceed \$6,765.00, to be used to purchase the fire-safe filing cabinet for the Assessment Department.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalby

Resolution carried/failed.

RESOLUTION -24: TO AUTHORIZE THE USE OF ARPA FUNDS TO PURCHASE A FIRE-SAFE LATERAL FILING CABINETS FOR THE TOWN CLERKS OFFICE

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Town Clerks Office is in need of an additional fire-safe filing cabinet to store the permanent property files; and

WHEREAS, the Town has ARPA funds remaining to be allocated; now

THEREFORE BE IT RESOLVED, that the Town Board of the Town of Walworth hereby authorized the use of ARPA funds, not to exceed \$13,000, to be used to purchase 2 fire-safe filing cabinet for the Town Clerks Office.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalty

Resolution carried/failed.

RESOLUTION -24: TO ABSORB THE CEMETERY FUND (CM6) INTO THE GENERAL FUND

Council offered the following Resolution and moved its adoption. Seconded by Council to
wit:

WHEREAS, The cemetery fund has historically been accounted for separately; and

WHEREAS, the personnel responsible for maintaining the cemeteries are paid out of the General fund; and

WHEREAS, the number of transactions and reporting requirements do not justify having a separate fund;

NOW, THEREFORE BE IT RESOLVED, that the Town Board of the Town of Walworth directs the Town Comptroller to close the Cemetery Fund (CM6) and transfer all assets and fund balance to the General Fund at the end of the 2024 fiscal year.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalby

Resolution carried/failed.

RESOLUTION -24:TO AUTHORIZE THE RECREATION DIRECTOR TO PURCHASE A DEER FAMILY PHOTO OP DISPLAY USING ARPA FUNDS NOT TO EXCEED \$1,340.00

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Town has ARPA funds remaining to be allocated; and

WHEREAS, the deer family photo op display will be used as part of the holiday decorations in Ginegaw Park: and

WHEREAS, three written quotes were received and the Recreation Director recommends purchasing from Christmas Designers.

Christmas Designers \$1340.00

Holiday Outdoor Decor \$1670.00

Mosca Designs \$1699.00

NOW, THEREFORE BE IT RESOLVED, that the Town Board of the Town of Walworth hereby authorizes the Recreation Director to expend \$1340.00 of ARPA funds to purchase the deer family photo op from Christmas Designers.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalty

Resolution carried/failed

RESOLUTION -24: TO AUTHORIZE THE RECREATION DIRECTOR TO PURCHASE A DELUXE ANIMATED SANTA SLEIGH USING ARPA FUNDS NOT TO EXCEED \$6863.20, PLUS THE FREIGHT NOT TO EXCEED \$1,000.00.

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Town has ARPA funds remaining to be allocated; and

WHEREAS, the Animated Santa Sleigh will be used as part of the holiday decorations in Ginewaw Park; and

WHEREAS, three written quotes were received and the Recreation Director recommends purchasing from Mosca Designs; and

WHEREAS, the shipping freight is not to exceed \$1,000.00

Mosca Designs \$6,863.20

Bronners \$7,295.00

Holiday Outdoor Decor \$8,545.00

NOW, THEREFORE BE IT RESOLVED, that the Town Board of the Town of Walworth hereby authorizes the Recreation Director to expend \$6863.20, plus the cost of shipping of ARPA funds to purchase the animated Santa's Sleigh from Mosca Designs.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried/failed

RESOLUTION -24:TO AUTHORIZE THE RECREATION DIRECTOR TO PURCHASE A 8'X11' CELESTIAL ARCH USING ARPA FUNDS NOT TO EXCEED \$695.00, PLUS THE FREIGHT NOT TO EXCEED \$400.00

Councilman offered the Resolution and moved its adoption. Seconded by Councilman to wit:

WHEREAS, the Town has ARPA funds remaining to be allocated; and

WHEREAS, the 8'X11' Celestial Arch will be used as part of the holiday decorations in Ginegaw Park: and

WHEREAS, three written quotes were received and the Recreation Director recommends purchasing from Bronner's Christmas Decorations; and

WHEREAS, the shipping freight is not to exceed \$400.00

Bronners Christmas Decorations \$695.00

Christmas Designers \$662.00

Holiday Outdoor Decor \$790.00

NOW, THEREFORE BE IT RESOLVED, that the Town Board of the Town of Walworth hereby authorizes the Recreation Director to expend \$695.00, plus the cost of shipping of ARPA funds to purchase the 8'x11' Celestial Arch from Bronners Christmas Decorations.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried/failed

RESOLUTION -24: AUTHORIZING THE TOWN SUPERVISOR TO SIGN SERVICE ORDER WITH SPECTRUM ENTERPRISE FOR A NEW PHONE SYSTEM AND APPROVE THE INSTALLATION FEES AND THE PURCHASE OF PHONES UTILIZING ARPA FUNDS

Council offered the following Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Towns current contract with Avaya will expire on November 16, 2024, the Town wishes to contract with Spectrum Enterprises; and

WHEREAS, Spectrum’s monthly services will be more cost effective for the Town; and

WHEREAS, the cost of installation and phone purchases can be covered with ARPA funds as they are available to fund this project; now

BE IT RESOLVED, subject to Town Attorney approval as to form, to allow the Town Supervisor to sign the contract with Spectrum Enterprise for phone service for Town sites and the purchase of new phones and installation fees to be paid with ARPA funds.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried/failed.

RESOLUTION -24: AUTHORIZING THE USE OF ARPA FUNDS FOR THE UPGRADE OF TOWN SERVER AND SWITCHES NOT TO EXCEED \$14,000

Council offered the following Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, as recommended by our IT company, Integrated Systems, the Towns server and switches are at the end of their life according to Microsoft standards; and

WHEREAS, the operating system is out of date; and

WHEREAS, the Towns systems are not receiving software updates; and

WHEREAS, ARPA funds are available to fund this project: now

BE IT RESOLVED, the Town Supervisor is authorized to contact with Integrated Systems for the upgrade the server, Microsoft operating system, and replace the Towns switches for the amount not to exceed \$14,000.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
Councilman Kelly
Councilman Harden
Councilman Johnson
Supervisor Donalty

Resolution carried/failed.

RESOLUTION -24: TO SET PUBLIC HEARING FOR 2025 PRELIMINARY BUDGET

Council offered resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Town Board desires to schedule a Public Hearing on **Thursday, November 7, 2024 at 6:30 PM** for the purpose of hearing comments regarding the 2025 Preliminary Budget; and

WHEREAS, the Town Board directs the Town Clerk to publish the notice stating compensation proposed to be paid to each Elected Official (Town Law§108), effective January 1, 2025; and

BE IT RESOLVED, that the Town Board will hold a Public Hearing on said 2025 Preliminary Budget at the Walworth Town Hall, 3600 Lorraine Drive, in the Town of Walworth, New York at **6:30 PM on Thursday, November 7, 2024;**

BE IT FURTHER RESOLVED, that the Town Clerk publish or cause to be published a public notice in the official newspaper of the Town of said public hearing at least five (5) days prior thereto.

Adopted this 17th day of October, 2024 at the meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Kelly
 Councilman Harden
 Councilman Johnson
 Supervisor Donalty

Resolution carried/failed

RESOLUTION -24: AUTHORIZING ISSUANCE OF REQUEST FOR PROPOSALS FOR PLANNING AND ENGINEERING SERVICES

Council offered the Resolution and moved its adoption. Seconded by Council to wit:

WHEREAS, the Town of Walworth frequently contracts with various professional service providers for specialty services to be performed on an occasional basis; and

WHEREAS, while the current providers of these services have done so satisfactorily, the contracts have not been updated in several years; and

WHEREAS, the Town Board wishes to act with due diligence in ensuring that the Town is receiving the best value for the services provided; and

WHEREAS, thus, the Town of Walworth seeks proposals from qualified professional service providers for the following service:

- Planning and Engineering;

NOW, THEREFORE, BE IT RESOLVED, that the Walworth Town Board hereby approves the issuance of a request for proposal (“RFP”) from qualified professional service providers in the aforementioned field of service in accordance with the requirements of New York State Law; and, be it further

RESOLVED, that such RFP be in the form attached hereto.

Adopted this 17th day of October, 2024 at a meeting of the Town Board.

Roll call vote: Councilwoman Linson
 Councilman Harden
 Councilman Johnson
 Councilman Kelly
 Supervisor Donalty

Resolution carried/failed.



NEW YORK MUNICIPAL INSURANCE RECIPROCAL

September 29, 2024

Town of Walworth
3600 Lorraine Drive
Walworth, NY 14568

Attn: Christine Stanford

RE: Damaged traffic light
TYPE: Struck by lightning
D/L: 6 September 2024
FILE: TWALW-2024-001-001
LOCATION: Walworth-Ontario & Walworth-Marion Rds.

Dear Ms. Stanford:

As you are aware, the New York Municipal Insurance Reciprocal ("NYMIR") provides Commercial Property insurance for the Town of Walworth. We received notice referenced above of lightning damage to a traffic light at Walworth-Ontario Road and Walworth-Marion Road. As a result, coverage was requested under the NYMIR Commercial Property Policy, policy number MPK-TWALW-0000001-24 (the "Policy").

Based on the review of the information provided and the referenced Policy, we will be unable to indemnify you for the damages claimed. The loss location is not scheduled for coverage on the Policy.

Please refer to policy form MPR 103 03 93, **SECTION III. COMMERCIAL PROPERTY COVERAGE FORM**, which states in part:

A. "Real Property" That is Covered

We will cover buildings, structures and other "real property" at "covered locations."

Please refer to policy form MPR 106 06 07, **SECTION VI. COMMERCIAL PROPERTY COVERAGE DEFINITIONS**, which states in part;

Covered location

means a location whose address is given in the Declarations.

Real property

is land and generally anything built on or growing on land.

Sponsored by:



900 Stewart Avenue, Suite 600
Garden City, New York 11530-4869
(516) 227-2120, FAX 227-2352
1-800-NYMIR05

12 Metro Park Road
Colonie, New York 12205-1139
(518) 437-1171, FAX 437-1182
www.nymir.org



NEW YORK MUNICIPAL INSURANCE RECIPROCAL

Based on the information provided, the property in question is not a “covered location” and no coverage is afforded under the Town’s Property Policy. Thus, we will be unable to indemnify you for this loss.

We reserve our right to assert other and different grounds for disclaiming coverage and expressly do not waive any ground not set forth herein should facts develop which indicate additional grounds for disclaiming. This disclaimer is based upon the information secured during the course of the investigation. Should you have any questions regarding our position, I would be happy to discuss them with you at your convenience.

Should you wish to take this matter up with the New York State Insurance Department, you may file with the Department either on its website at <http://www.dfs.ny.gov/consumer/filecompliant.htm> or you may write to or visit the Consumer Assistance Unit, Financial Frauds and Consumer Protection Division, New York State Department of Financial Services, at: One State Street, New York, NY 10004; One Commerce Plaza, Albany, NY 12257; [163B Mineola Boulevard, Mineola, NY 11501] 1399 Franklin Avenue, Garden City, NY 11530; or Walter J. Mahoney Office Building, 65 Court Street, Buffalo, NY 14202.

Sincerely,

/s/ Liam Morse

Liam Morse
Property Claims Examiner
(516) 750-9397
lmorse@wrightinsurance.com

cc Eastern Shore Insurance Agency, Morgan Mullenax (MMullenax@easternshoreia.com)

Sponsored by



Association of Towns



Conference of Mayors



Association of Counties

900 Stewart Avenue, Suite 600
Garden City, New York 11530-4869
(516) 227-2120, FAX 227-2352
1-800-NYMIR05

12 Metro Park Road
Colonie, New York 12205-1139
(518) 437-1171, FAX 437-1182
www.nymir.org

**WAYNE COUNTY
DEPARTMENT OF AGING & YOUTH**

1519 Nye Road, Suite 300, Lyons, NY 14489
(315) 946-5624 Fax (315) 946-5649

Amy Haskins, Director
AHaskins@waynecountyny.gov

Kelly Beaudette, Deputy Director
KBeaudette@waynecountyny.gov



10/4/24

Dear Partner Agency,

An estimated 4.2 million young people experience some sort of homelessness – couch surfing, staying in a shelter, and living on the streets - each year. Housing instability can have detrimental and long-term effects on youth, including limited access to education, poor physical and mental health outcomes, and a higher risk of becoming a victim of violence and/or human trafficking.

At Wayne County Dept. of Aging & Youth, we are supporting Youth HOPE (Homelessness, Outreach, Education and Prevention) Month, previously recognized as National Runaway Prevention Month (NRPM), an annual public awareness campaign designed to “shine a light” on youth experiencing homelessness and those who have run away from home. November has been acknowledged as National Runaway Prevention Month (NRPM) since 2001, following the landmark White House Conference on Exploited and Runaway Children. For more than two decades, the National Runaway Safeline (NRS), with support from the Family and Youth Services Bureau (FYSB), has partnered with national, state, and local organizations, Youth Ambassadors, companies, and individuals to shine a light on experiences of youth who have run away or experienced homelessness.

We would like to partner with your agency on Wednesday, November 13, 2024 and bring World Kindness Day and Youth Hope Month together in Wayne County. We are asking that our staff wear green on this day and are requesting that you join us by encouraging your staff to also wear green in support of this initiative. We are also kindly requesting assistance collecting donations that are in demand for youth facing housing instability. Donation items needed are hygiene products (deodorant, soaps, shampoo, toothbrushes, toothpaste, face wipes, baby wipes, feminine products, hairbrushes, etc.) blankets, coats, gift cards for food, socks, and shoes. Donations can be picked up at your site on 11/25, 11/26 or 11/27, please contact Enjoli Lyon at elyon@waynecountyny.gov or 315-946-5624 x5633 with questions regarding

donations or pickups. Donations can also be dropped off at the Dept of Aging and Youth 1519 Nye Rd. Suite 300, Lyons, NY 14489 or at United We Stand, 2 Broad St., Lyons, NY 14489, and we are always accepting donations.

Also as part of Youth HOPE Month, buildings and monuments across the country will be lit up green. Buildings that participate in the green lighting initiative will be featured in the #GoGreen or #YouthHOPEmonth social media campaign.

Thank you for your consideration and partnership, if you have any questions please feel free to reach out, kbeaudette@waynecountyny.gov.

Sincerely,

Kelly Beaudette
Deputy Director
Wayne County Dept. of Aging & Youth



Department of Health

KATHY HOCHUL
Governor

JAMES V. McDONALD, M.D., M.P.H.
Commissioner

JOHANNE E. MORNE, M.S.
Executive Deputy Commissioner

October 7, 2024

Walworth Town Board
3600 Lorraine Drive
Walworth, NY 14568

RE: **PUBLIC WATER SUPPLY**
Palmyra-Macedon-Walworth CSA
(APPROVAL –Ginegaw Park Watermain)
Walworth (T) – Wayne County

Attn: Michael Donalty, Supervisor

We have, this date, approved the plans and specifications submitted by Shawn Bray, P.E., of MRB Group, for the above-referenced project, which includes extension to the existing watermain. Enclosed is an APPROVAL OF PLANS FOR PUBLIC WATER SUPPLY IMPROVEMENT (form DOH 1017) for the project.

PLEASE BE ADVISED that the proposed works approved herein may not be placed into service until such time that an APPROVAL OF COMPLETED WORKS (form DOH 1032) has been issued by this Department. Before that form can be issued, a New York State licensed professional engineer must submit certification (form DOH-5025) that they or their designated representative has witnessed the construction, testing and disinfection procedures as per conditions a., c., and d. of the enclosed DOH-1017 form, and that they have collected an appropriate number of water samples from the completed works for bacteriological analysis by a NYS-approved laboratory. An Engineer's Certification form is attached for your use. Copies of the results of the analyses must also be submitted with the above-mentioned certification.

We call your attention to standard conditions a. - e. of the enclosed DOH-1017 form.

One copy of the approved application documents and plans is being retained electronically for our files. Distribution of remaining documents is indicated below.

Sincerely,

Kendall Larsen, P.E.
Professional Engineer 1

enc. DOH-1017
email: MRB Group – Attn: S. Bray, PE (w/DOH-1017 & plan)
WCWSA – Attn: J. Monroe, Dir of Oper (w/DOH-1017 & plan)



Corporate Office:
860 Linden Ave., Suite B
Rochester, NY 14625
P: (585) 381-7362

Date: 10/07/2024 01:00pm EDT
Inspector: Justine VanNostran
Property Name: Carey Lake
Property Address: 959 Penfield Road
Macedon NY 14502

REPORT OF INSPECTION - WET AND DRY AUTOMATIC FIRE SPRINKLER SYSTEMS

Notes:

- 1) This form covers the minimum requirements of NFPA-25 2017 for wet and dry pipe fire sprinkler systems.
2) All questions are to be answered Yes, No, or Not Applicable. All "No" answers are to be explained in section 11 of this form.

1. GENERAL:

- a. Is the building occupied?
b. Are ALL fire sprinkler system(s) in service?
c. Has the occupancy and hazard contents remained the same since the last inspection?
d. Has the fire sprinkler system(s) remained in service without modification since the last inspection?
e. Are any new additions and building changes properly protected?
f. Is all stock or storage properly located below sprinkler piping?
g. In areas protected by wet system(s), does building appear to be properly heated?
h. Are gauges less than 5 years old?
i. Is Hydraulic Nameplate (calculated systems) securely attached to riser and legible?
j. Signage / Identification signs in place?

2. SPRINKLERS:

- a. Proper number (at least 6) and type of heads in spare head cabinet?
b. Head wrench in spare head cabinet?
c. Visible Sprinklers:
1. Proper position?
2. Proper temperature?
3. Free of corrosion and physical damage?
4. Free of foreign materials and paint?
5. Liquid in all glass bulb sprinklers?
d. Standard response heads less than 50 years old?
e. Quick response heads less than 20 years old?
f. Dry-Type heads less than 10 years old?
g. Residential heads less than 20 years old?
h. Sprinklers prior to 1920 replaced?

3. ALARMS:

- a. Water motor and gong tests satisfactory?
b. Electric water flow alarm test satisfactory?
c. Low air pressure alarm test satisfactory?
d. Tamper switch alarm test satisfactory?

4. FIRE DEPARTMENT CONNECTION (FDC):

- a. Caps or plugs in place?
b. Swivels rotate freely?
c. Gaskets in place and in good condition?
d. Visible and accessible?
e. Identification sign/plate in place?
f. Ball drip valve in place and operational?

5. CONTROL VALVES & BACKFLOW PREVENTERS:

- a. Accessible and free from external leaks?
b. In correct (open or closed) position?
c. Sealed, locked or supervised?
d. Appropriate wrenches provided?
e. Relief port on RPZ not discharging?
f. Operating stems of OS&Y valves lubricated?
g. PIVs opened until spring or torsion felt in rod?
h. PIVs and OS&Ys 1/4 turn from full open?
i. Control valves completely closed and reopened?

6. PIPING:

- a. Visible pipe & hangers:
1. In good condition, no external corrosion?
2. No mechanical damage or leaks?
3. Properly aligned and no external loads?
4. Hangers and seismic braces not damaged, loose or missing?

7. WET SYSTEMS:

- a. Gauges appear to be in good condition?
b. Normal supply water pressure?
c. Alarm valve free of physical damage?
d. Alarm valve trim valves are in appropriate open or closed position?
e. Retarding chamber or alarm drain not leaking?
f. Antifreeze solution checked prior to freezing conditions?
g. Main drain test conducted? (Record results in section 10)

8. DRY SYSTEMS:

- a. Gauges appear to be in good condition?
b. Normal supply air/water pressure?
c. Dry valve free of physical damage?
d. Dry valve trim valves are in appropriate open or closed position?
e. No leakage from intermediate chamber?
f. Main drain test conducted? (Record results in section 11)
g. Dry pipe valve in good condition internally? (check at trip test)
h. Dry pipe valve full trip test within last three years?
i. Dry pipe valve partial trip test? (Unless full trip test done) Initial air psi and water psi When valve tripped, air psi and time sec



Corporate Office:
 860 Linden Ave., Suite B
 Rochester, NY 14625
 P: (585) 381-7362

Date: 10/07/2024 01:00pm EDT
 Inspector: Justine VanNostran
 Property Name: Carey Lake
 Property Address: 959 Penfield Road
 Macedon NY 14502

REPORT OF INSPECTION - WET AND DRY AUTOMATIC FIRE SPRINKLER SYSTEMS

8. DRY SYSTEMS CONTINUED:

- j. Dry valve enclosure maintained above 40°F? Yes No N/A
- k. All low point drum drips drained? Yes No N/A
 Number of low point drains? 3
- l. Does system appear to have proper pitch? Yes No N/A
- m. Air pressure and priming water level normal? Yes No N/A
- n. Air compressor operational? Yes No N/A
- o. Air compressor oil level full? Yes No N/A
- p. Air compressor tank drained of water? Yes No N/A

9. FIVE YEAR EXAMS:

Date of last five year Internal Pipe Exam? 05/05/2021
 Date of last five year FDC Test? 05/05/2021

10. TEST RESULTS:

System #	Dry																		
Make	4" Tyco																		
Model	DPV-1																		
Size	2"																		
Static Pressure	70																		
Residual Pressure	64																		
Alarms/Bells Operate	Yes																		
Seconds	4																		

11. EXPLANATION OF ANY "NO" ANSWERS / DEFICIENCIES / RECOMMENDATIONS:

Owner's Responsibilities:

- 1) Deficiencies/Recommendations - If you would like to obtain a quote to correct any deficiencies/recommendations above, please contact our office.
- 2) Wet Pipe Systems - All areas of buildings with wet pipe systems must be maintained with adequate heat. Areas not maintained with adequate heat could cause piping to freeze and burst. Please protect your property from water damage and ensure your building is properly heated.
- 3) Dry Pipe Systems -
 - a. Dry pipe valve enclosures need to be maintained above 40°F.
 - b. Low point drains must be checked as needed (daily/weekly) until all water is drained. After low points are free of water, the frequency of checking them can be decreased, provided the system has not tripped (filled with water) for any reason.
 - c. Pressure gauges (air & water) should be checked on a weekly basis. Readings should be logged onto a chart noting the date, time, pressures, heat on, and person recording the information for the week.

OWNER/DESIGNATED REPRESENTATIVE SIGNATURE: J. Calder DATE: 10/7/2024
 PLEASE PRINT NAME AND TITLE HERE: _____

Report on Test and Maintenance of Backflow Prevention Device

PART A

Please use a separate form for each device.

For the year 2024

- Initial test - Complete entire form
 Annual test - Complete Part A only

Public Water Supply WCWA	Account No.	County Wayne	Block	Lot
------------------------------------	-------------	------------------------	-------	-----

Facility Name <u>Carey Lake</u>	Location of Device <u>Kitchen Storage</u>
Address <u>959 Penfield Road</u> <u>Macedon</u> <u>14502</u>	
Street City Zip	

Device Information	Manufacturer Watts	Type <input type="checkbox"/> RPZ <input checked="" type="checkbox"/> DCV	Model 007M1	Size (in inches) 2	Serial Number 11865
--------------------	------------------------------	---	-----------------------	------------------------------	-------------------------------

	Check Valve No. 1	Check Valve No. 2	Differential Pressure Relief Valve	Line Pressure <u>75</u> psi												
Test before repair	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Opened at _____ psid	Date <table border="1" style="display:inline-table; border-collapse: collapse;"><tr><td style="width:20px; height:20px; text-align:center;">1</td><td style="width:20px; height:20px; text-align:center;">0</td><td style="width:20px; height:20px; text-align:center;">0</td><td style="width:20px; height:20px; text-align:center;">7</td><td style="width:20px; height:20px; text-align:center;">2</td><td style="width:20px; height:20px; text-align:center;">4</td></tr><tr><td style="text-align:center; font-size:small;">M</td><td style="text-align:center; font-size:small;">D</td><td colspan="2" style="text-align:center; font-size:small;">Y</td><td colspan="2"></td></tr></table>	1	0	0	7	2	4	M	D	Y			
	1	0	0	7	2	4										
M	D	Y														
	Pressure drop across first check valve _____ psid															

Describe repairs and materials used		Repaired by Name _____ Lic # _____ Date repaired <table border="1" style="display:inline-table; border-collapse: collapse;"><tr><td style="width:20px; height:20px;"></td><td style="width:20px; height:20px;"></td><td style="width:20px; height:20px;"></td></tr><tr><td style="text-align:center; font-size:small;">M</td><td style="text-align:center; font-size:small;">D</td><td style="text-align:center; font-size:small;">Y</td></tr></table>				M	D	Y
M	D	Y						

Final test	Closed tight <input type="checkbox"/>	Closed tight <input type="checkbox"/>	Opened at _____ psid	Date <table border="1" style="display:inline-table; border-collapse: collapse;"><tr><td style="width:20px; height:20px;"></td><td style="width:20px; height:20px;"></td><td style="width:20px; height:20px;"></td></tr><tr><td style="text-align:center; font-size:small;">M</td><td style="text-align:center; font-size:small;">D</td><td style="text-align:center; font-size:small;">Y</td></tr></table>				M	D	Y
M	D	Y								
	Pressure drop across first check valve _____ psid									

Water Meter Number 5927836	Meter Reading	Type of Service: (check one) <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Fire <input type="checkbox"/> Other _____
--------------------------------------	---------------	---

Remarks (Describe deficiencies, bypasses, outlets before the device, connections between the device and point of entry, missing or inadequate airgaps, etc.)

Certification: This device meets, does NOT meet, the requirements of an acceptable containment device at the time of testing
 I hereby certify the foregoing data to be correct.

Print Name <u>Justine VanNostran</u>	Certified Tester No. <u>15713</u>	Signature 	Expiration Date <u>06 / 30 / 2027</u>
---	--------------------------------------	---------------	--

Property owners (or owners agent) certification that test was performed:

Print Name <u>Jody Calder</u>	Title	Signature 	Telephone
----------------------------------	-------	---------------	-----------

PART B Certification that installation is in accordance with the approved plans. (To be completed by the design engineer or architect or water supplier.)

I hereby certify that this installation is in accordance with the approved plans.

Name	Title	Date <table border="1" style="display:inline-table; border-collapse: collapse;"><tr><td style="width:20px; height:20px;"></td><td style="width:20px; height:20px;"></td><td style="width:20px; height:20px;"></td></tr><tr><td style="text-align:center; font-size:small;">m</td><td style="text-align:center; font-size:small;">d</td><td style="text-align:center; font-size:small;">y</td></tr></table>				m	d	y	NYS DOH Log #
m	d	y							
License Number	Phone ()								
Representing	Describe minor installation changes								
Address									
City State Zip									
Signature									

NOTE: Send one completed copy to the designated health department representative and one copy to the water supplier within 30 days of the testing device. Notify owner and water supplier immediately if device fails test and repairs cannot immediately be made. DOH- 1013(9/91)

Report on Test and Maintenance of Backflow Prevention Device

PART A

Please use a separate form for each device.

For the year 2024

- Initial test - Complete entire form
 Annual test - Complete Part A only

Public Water Supply WCWA		Account No.	County Wayne	Block	Lot												
Facility Name <u>Carey Lake</u>			Location of Device <u>Kitchen Storage</u>														
Address <u>959 Penfield Road</u>		<u>Macedon</u>	<u>14502</u>														
Street		City	Zip														
Device Information	Manufacturer Watts	Type <input checked="" type="checkbox"/> RPZ <input type="checkbox"/> DCV	Model 909	Size (in inches) 2	Serial Number 378897												
	Check Valve No. 1	Check Valve No. 2	Differential Pressure Relief Valve	Line Pressure <u>80</u> psi													
Test before repair	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Opened at <u>2.4</u> psid	Date <table border="1" style="display: inline-table; border-collapse: collapse;"><tr><td>1</td><td>0</td><td>0</td><td>7</td><td>2</td><td>4</td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>		1	0	0	7	2	4	M	D	Y			
	1	0	0	7	2	4											
M	D	Y															
Pressure drop across first check valve <u>5.0</u> psid																	
Describe repairs and materials used				Repaired by Name _____ Lic # _____ Date repaired: <table border="1" style="display: inline-table; border-collapse: collapse;"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>								M	D	Y			
M	D	Y															
Final test	Closed tight <input type="checkbox"/>	Closed tight <input type="checkbox"/>	Opened at _____ psid	Date <table border="1" style="display: inline-table; border-collapse: collapse;"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>								M	D	Y			
M	D	Y															
Pressure drop across first check valve _____ psid																	
Water Meter Number 59297836		Meter Reading 26147657	Type of Service: (check one) <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Fire <input type="checkbox"/> Other _____														

Remarks (Describe deficiencies: bypasses, outlets before the device, connections between the device and point of entry, missing or inadequate airgaps, etc.)

Certification: This device meets, does NOT meet, the requirements of an acceptable containment device at the time of testing
 I hereby certify the foregoing data to be correct.

Justine VanNostran 15713 06/30/2027
 Print Name Certified Tester No. Signature Expiration Date

Property owners (or owners agent) certification that test was performed:

Jody Calder _____
 Print Name Title Signature Telephone

PART B

Certification that installation is in accordance with the approved plans.

(To be completed by the design engineer or architect or water supplier.)

I hereby certify that this installation is in accordance with the approved plans.

Name	Title	Date	NYS DOH Log #
License Number	Phone ()	m d y	
Representing	Describe minor installation changes		
Address			
City	State	Zip	
Signature			

Report on Test and Maintenance of Backflow Prevention Device

PART A

Please use a separate form for each device.

For the year 2024

- Initial test - Complete entire form
 Annual test - Complete Part A only

Public Water Supply WCWA	Account No.	County Wayne	Block	Lot
------------------------------------	-------------	------------------------	-------	-----

Facility Name <u>Carey Lake</u>	Location of Device <u>Water Service Room</u>
Address <u>959 Penfield Road</u> <u>Macedon</u> <u>14502</u>	
Street City Zip	

Device Information	Manufacturer Watts	Type <input checked="" type="checkbox"/> RPZ <input type="checkbox"/> DCV	Model 909	Size (in inches) .75	Serial Number 589822
--------------------	------------------------------	---	--------------	-------------------------	-------------------------

	Check Valve No. 1	Check Valve No. 2	Differential Pressure Relief Valve	Line Pressure <u>80</u> psi												
Test before repair	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Opened at <u>4.2</u> psid	Date <table border="1"><tr><td>1</td><td>0</td><td>0</td><td>7</td><td>2</td><td>4</td></tr><tr><td>M</td><td>D</td><td>Y</td><td></td><td></td><td></td></tr></table>	1	0	0	7	2	4	M	D	Y			
	1	0	0	7	2	4										
M	D	Y														
	Pressure drop across first check valve <u>8.6</u> psid															

Describe repairs and materials used	Repaired by Name _____ Lic # _____ Date repaired: <table border="1"><tr><td></td><td></td><td></td></tr><tr><td>M</td><td>D</td><td>Y</td></tr></table>						M	D	Y
M	D	Y							

Final test	Closed tight <input type="checkbox"/>	Closed tight <input type="checkbox"/>	Opened at _____ psid	Date <table border="1"><tr><td></td><td></td><td></td></tr><tr><td>M</td><td>D</td><td>Y</td></tr></table>				M	D	Y
M	D	Y								
	Pressure drop across first check valve _____ psid									

Water Meter Number 19800151	Meter Reading 0000030	Type of Service: (check one) <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Fire <input type="checkbox"/> Other _____
---------------------------------------	---------------------------------	---

Remarks (Describe deficiencies: bypasses, outlets before the device, connections between the device and point of entry, missing or inadequate airgaps, etc.)

Certification: This device meets, does NOT meet, the requirements of an acceptable containment device at the time of testing
 I hereby certify the foregoing data to be correct.

Justine VanNostran 15713 06/30/2027
 Print Name Certified Tester No. Signature Expiration Date

Property owners (or owners agent) certification that test was performed:

Jody Calder _____
 Print Name Title Signature Telephone

PART B Certification that installation is in accordance with the approved plans. (To be completed by the design engineer or architect or water supplier.)

I hereby certify that this installation is in accordance with the approved plans.

Name	Title	Date	NYS DOH Log #
License Number	Phone ()	m d y	
Representing	Describe minor installation changes		
Address			
City	State	Zip	
Signature			

NOTE: Send one completed copy to the designated health department representative and one copy to the water supplier within 30 days of the testing device. Notify owner and water supplier immediately if device fails test and repairs cannot immediately be made. DOH- 1013(9/91)

Report on Test and Maintenance of Backflow Prevention Device

PART A

Please use a separate form for each device.

For the year 2024

- Initial test - Complete entire form
 Annual test - Complete Part A only

Public Water Supply WCWA		Account No.	County Wayne	Block	Lot												
Facility Name <u>Carey Lake</u>			Location of Device <u>Water Service Room</u>														
Address <u>959 Penfield Road</u>		<u>Macedon</u>	<u>14502</u>														
Street		City	Zip														
Device Information	Manufacturer Watts	Type <input checked="" type="checkbox"/> RPZ <input type="checkbox"/> DCV	Model 009M2	Size (In inches) 2	Serial Number 244308												
	Check Valve No. 1	Check Valve No. 2	Differential Pressure Relief Valve	Line Pressure <u>80</u> psi													
Test before repair	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Opened at <u>2.0</u> psid	Date <table border="1"><tr><td>1</td><td>0</td><td>0</td><td>7</td><td>2</td><td>4</td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>		1	0	0	7	2	4	M	D	Y			
	1	0	0	7	2	4											
M	D	Y															
Pressure drop across first check valve <u>7.0</u> psid																	
Describe repairs and materials used				Repaired by Name _____ Lic # _____ Date repaired: <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>								M	D	Y			
M	D	Y															
Final test	Closed tight <input type="checkbox"/>	Closed tight <input type="checkbox"/>	Opened at _____ psid	Date <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>								M	D	Y			
M	D	Y															
Pressure drop across first check valve _____ psid																	
Water Meter Number 64067109		Meter Reading 02773425	Type of Service: (check one) <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Fire <input type="checkbox"/> Other _____														

Remarks (Describe deficiencies: bypasses, outlets before the device, connections between the device and point of entry, missing or inadequate airgaps, etc.)

Certification: This device meets, does NOT meet, the requirements of an acceptable containment device at the time of testing
 I hereby certify the foregoing data to be correct.

Justine VanNostran 15713 06/30/2027
 Print Name Certified Tester No. Signature Expiration Date

Property owners (or owners agent) certification that test was performed:

Jody Calder _____
 Print Name Title Signature Telephone

PART B

Certification that installation is in accordance with the approved plans.

(To be completed by the design engineer or architect or water supplier.)

I hereby certify that this installation is in accordance with the approved plans.

Name	Title	Date	NYS DOH Log #
License Number	Phone ()	m d y	
Representing	Describe minor installation changes		
Address			
City	State	Zip	
Signature			

Report on Test and Maintenance of Backflow Prevention Device

PART A

Please use a separate form for each device.

For the year 2024

- Initial test - Complete entire form
 Annual test - Complete Part A only

Public Water Supply WCWA		Account No.	County Wayne	Block	Lot												
Facility Name <u>Carey Lake</u>			Location of Device <u>Water Service Room</u>														
Address <u>959 Penfield Road</u>		<u>Macedon</u>	<u>14502</u>														
Street		City	Zip														
Device Information	Manufacturer Watts	Type <input checked="" type="checkbox"/> RPZ <input type="checkbox"/> DCV	Model 909 RPDA	Size (in inches) 4	Serial Number 05349												
	Check Valve No. 1	Check Valve No. 2	Differential Pressure Relief Valve	Line Pressure <u>80</u> psi													
Test before repair	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Leaked <input type="checkbox"/> Closed tight <input checked="" type="checkbox"/>	Opened at <u>2.0</u> psid	Date <table border="1" style="display: inline-table; border-collapse: collapse;"><tr><td>1</td><td>0</td><td>0</td><td>7</td><td>2</td><td>4</td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>		1	0	0	7	2	4	M	D	Y			
	1	0	0	7	2	4											
M	D	Y															
Pressure drop across first check valve <u>6.8</u> psid																	
Describe repairs and materials used				Repaired by Name _____ Lic # _____ Date repaired: <table border="1" style="display: inline-table; border-collapse: collapse;"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>								M	D	Y			
M	D	Y															
Final test	Closed tight <input type="checkbox"/>	Closed tight <input type="checkbox"/>	Opened at _____ psid	Date <table border="1" style="display: inline-table; border-collapse: collapse;"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td>M</td><td>D</td><td>Y</td><td colspan="3"></td></tr></table>								M	D	Y			
M	D	Y															
Pressure drop across first check valve _____ psid																	
Water Meter Number 19800151		Meter Reading 0000030	Type of Service: (check one) <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Fire <input type="checkbox"/> Other _____														

Remarks (Describe deficiencies, bypasses, outlets before the device, connections between the device and point of entry, missing or inadequate airgaps, etc.)

Certification: This device meets, does NOT meet, the requirements of an acceptable containment device at the time of testing
 I hereby certify the foregoing data to be correct.

Justine VanNostran 15723 06/30/2027
 Print Name Certified Tester No. Signature Expiration Date

Property owners (or owners agent) certification that test was performed:

Jody Calder _____
 Print Name Title Signature Telephone

PART B Certification that installation is in accordance with the approved plans. (To be completed by the design engineer or architect or water supplier.)

I hereby certify that this installation is in accordance with the approved plans.

Name	Title	Date	NYS DOH Log #
License Number	Phone ()	m d y	
Representing	Describe minor installation changes		
Address			
City State Zip			
Signature			

**TOWN OF WALWORTH
BUILDING DEPARTMENT
3600 Lorraine Drive
Walworth, New York 14568**

Monthly Building and Zoning Report

There were 35 other inspections completed during the month of September 2024.

Notice of Violation/Remedy: 0

Letters regarding Building Permits: 0

Permits Issued: 30

Certificates of Occupancy Issued: 4

Certificates of Compliance Issued: 19

Fire Calls: 0

Fire Inspections: 2

Annual Inspection: 0

Property Maintenance & Other Complaints: 4


Soil Test completed: 2

Drainage Issues: 3

Projects in process:

- Reviewing Town Code
- Orchard View infrastructure inspections
- Scan and copy documents for FOIL and research requests
- Working to get bids on drainage projects


Respectfully submitted,



Norman Druschel
Building Inspector



Brett Malafeew
Code Enforcement Officer



Jacqueline VanLare
Town of Walworth
Recreation Director

Date: September 10, 2024

To: Supervisor Donalby & the Walworth Town Board

Re: Month End Report for September 2024

- Financial Summary for September
 - Recreation Registration Fees \$5,576.00
 - Lodge Fees \$650.00
 - Open Air Pavilion Fees \$70.00
 - Dog Park Fees \$125.00
 - Farm Market Vendor Fees \$50.00

Respectfully submitted,

Jacqueline Van Lare
Recreation Director




3600 Lorraine Drive
Walworth, NY 14568



(p) 315 986 1400
(f) 315 986 1440



walrec@townofwalworthny.gov
www.townofwalworthny.gov



Parks & Facilities Department
3600 Lorraine Drive, Walworth, NY 14568
Mike Buckley, Parks & Facilities Superintendent
(315) 986-1400 ext.12
parkssuper@townofwalworthny.gov

October 10, 2024,

To: Supervisor Mike Donalty, Walworth Town Board

Re: Parks & Facilities Monthly Report

This report is for September 1, 2024, through September 30, 2024:

- Daily inspection, cleaning, and maintenance of the Ginegaw Park lodge, pavilions, and bathroom
- Completed grading and seeding around Ginegaw Park's Ga-Ga ball pit,
- Removed large boulders at John's Park,
- Performed Town Hall maintenance tasks,
- Daily monitoring of mouse traps
- Removal of a dead tree in West Walworth Cemetery,
- Started construction of Dugouts on field #1 in Ginegaw Park,
- Continued lining of Ginegaw Park soccer fields,
- Finished grooming and lining of baseball and softball fields,
- Continued seasonal mowing and string trimming,
- Removed two dead ash trees in Ginegaw Park,
- Removed fencing at Dolomite Park,

Respectfully Submitted,

Mike Buckley

Parks & Facilities Superintendent



WALWORTH TOWN COURT

**3600 Lorraine Drive
Walworth, New York 14568
Tel: 315-960-7680
Fax: 888-848-0841**

**Hon. Daniel P. Majchrzak, Jr.
Town Justice**

**Hon. Charles J. Young
Town Justice**

Tracie Henning, Court Clerk Walworth
Thenning@nycourts.gov

To: Supervisor Mike Donalty
Re: Walworth September report

- *Hired Diane Fuchs as part-time Court clerk and Matthew Picchi as per diem security officer
- *Reconciliation of JCAP grant Completed for 2024.
- *Run weekly reports for state on legislative data, CDR reports.
- *Downloading tickets daily
- *Training daily of Part time clerk
- *Annual Court clerk training held in Niagara Falls
- *Held Court September 4th, 10th, 18th and 23rd.
- *Judges collected \$3,206.00 for fines/fees/surcharges

Respectfully Submitted,
Tracie Henning, Court Clerk



Highway Department September 2024 Monthly Summary

- Grinded and Paved Beaver Creek Drive, Sunrise Drive, and Sunset Drive with help from the Macedon, Marion, Savannah, Palmyra, and Ontario Highway Departments
- The traffic light on Walworth Marion Road and Walworth Ontario Road was struck by lightning September 6th, we contacted Caccamise Electric to repair it, still waiting for parts
- Paved road cuts on Daansen Road and Swaddling Road
- Picked up fallen trees around the town
- Did pipe work at West Walworth Fire Hall
- Mowed the roadsides around town
- Sent one truck to Ontario to help with chip sealing
- Replaced various driveway pipes around town
- Helped the Sewer Department with their Church Street Project

WAYNE COUNTY

Industrial Development Agency

Town of Walworth
3600 Lorraine Drive
Walworth NY 14568

cc: TownComptroller@TownofWalworthny.gov; Assessor@TownofWalworthny.gov;
ReceiverWal@TownofWalworthny.gov; Supervisor@TownofWalworthny.gov;
Receiveroftaxes@TownofWalworthny.gov

October 15, 2024

ANNUAL PILOT AUDIT

We are preparing to complete our New York State Comptroller's report for fiscal year 2024. A portion of the report requires payment-in-lieu of tax information. We kindly ask for the return of this form and necessary documentation by November 15, 2024. These figures can also be used for the annual exemption impact reporting of your town for fiscal year 2024.

Please note that this summary only includes PILOT agreements in which WCIDA is a party to. If your taxing jurisdiction has separate PILOT agreements with companies, those are not included in these figures.

Please confirm your agreement with the below figures by signing below, providing the items in red (if applicable) and returning this form/documentation to our office, either by email or mail. Thank you.

2024 Town Tax Rate (equalized): 3.171881

PILOT INCOME

Total PILOT Revenue: \$16,553.09

2024 IDA Billed PILOTS: Paid to Town of Walworth via check #7242 \$16,553.09 9/30/24. *Please see attached copy for reference.*

PILOT Name	PILOT Payment
4320 Canandaigua Rd (K2 Brewing)	\$7,701.96
McAlpin Industries Inc	\$8,851.13

2024 NON-IDA Billed PILOTS: *Please reference separate Town PILOT agreements between Town of Walworth and businesses directly.*

TAX EXEMPTION IMPACT

Total Assessment Value: \$7,928,200

Total Exempt Taxable Value Amount: \$2,709,500

Total Exempt Tax Value (Assessment Value * Tax Rate): \$25,147.31

Details:

2024 IDA Billed PILOTS:

PILOT Name

<u>Assessed Value</u>	<u>Exempt Assessed Value</u>	<u>Exempt Tax Value</u>
-----------------------	------------------------------	-------------------------

4320 Canandaigua Rd LLC (K2 Brewing): 62115-00-376223		
---	--	--

\$2,428,200		
-------------	--	--

\$0		
-----	--	--

		\$7,701.96
--	--	------------

McAlpin Industries Inc: 61114-00-886393		
---	--	--

\$5,500,000		
-------------	--	--

\$2,709,500		
-------------	--	--

		\$17,445.35
--	--	-------------

2024 NON-IDA Billed PILOTS: *Please reference separate Town PILOT agreements between Town of Walworth and businesses directly.*

Please note the following change on this year's PILOT billing:

4320 Canandaigua Rd LLC (K2 Brewing)- 2024 PILOT Revenue did not include a prorated charge like 2023's revenue did; No major changes for 2025 revenue in comparison to 2024. Property is to be reassessed at completion of project (approximately March 1, 2025). 2025 PILOT revenue estimate for this project is ~\$7,700.

McAlpin Industries- No major changes for 2025 PILOT revenue in comparison to 2024. 2025 PILOT revenue estimate for this project is \$8,850.

Walworth Plaza- PILOT expired & was placed back on tax roll 1 effective March 1, 2024. Thus, this change decreased PILOT revenue in 2024 by ~\$11,300 and will increase TAX revenue in 2025 by ~\$20,600.

Please confirm your agreement with these figures by signing below, providing the items in red (if applicable) and returning this form/documentation to our office, either by email or mail. Thank you.

485-B EXEMPTIONS IN 2024

Did any of the above tax parcels have 485-B exemptions this year?
No ____ Yes ____ (please provide a copy)

Name: _____
Signature _____
Date: _____
Phone Number: (____) _____
Email Address: _____

Sincerely,

Jamie Corteville
Fiscal Officer / CFO
Wayne County Industrial Development Agency
JCorteville@waynecountyny.gov
Phone (315)946-5917